

Sample Questions: Moment-generating functions

STA256 Fall 2018. Copyright information is at the end of the last page.

1. Let X have a moment-generating function $M_x(t)$ and let a be a constant. Show $M_{ax}(t) = M_x(at)$.

2. Let X have a moment-generating function $M_x(t)$ and let a be a constant. Show $M_{a+x}(t) = e^{at} M_x(t)$.

3. Let X and Y be independent, (continuous) random variables.
Show $M_{x+y}(t) = M_x(t) M_y(t)$.

4. Let $X \sim N(0, 1)$. Calculate $M_x(t)$.

5. Let $X \sim N(\mu, \sigma)$. Calculate $M_x(t)$.

6. Let $X \sim N(\mu, \sigma)$. Show $Y = \frac{X-\mu}{\sigma} \sim N(0, 1)$ using moment-generating functions.

7. Let $X \sim N(\mu, \sigma)$. Find the distribution of $Y = a + bX$ using moment-generating functions.

8. Let $X_1 \sim N(\mu_1, \sigma_1)$ and $X_2 \sim N(\mu_2, \sigma_2)$ be independent. Find the distribution of $Y = aX_1 + bX_2 + c$.

9. Let $Z \sim N(0, 1)$ and let $Y = Z^2$. Find the distribution of Y . Recall that the MGF of a chi-squared random variable is $M(t) = (1 - 2t)^{-\frac{\nu}{2}}$.

10. Independently for $i = 1, \dots, n$, let $Y_i \sim \chi^2(\nu_i)$. Find the distribution of $W = \sum_{i=1}^n Y_i$.

11. Independently for $i = 1, \dots, n$, let $X_i \sim N(\mu_i, \sigma_i)$. What is the distribution of $Y = \sum_{i=1}^n \left(\frac{X_i - \mu_i}{\sigma_i} \right)^2$? Justify your answer.

This handout was prepared by [Jerry Brunner](#), Department of Mathematical and Computational Sciences, University of Toronto. It is licensed under a [Creative Commons Attribution - ShareAlike 3.0 Unported License](#). Use any part of it as you like and share the result freely. The L^AT_EX source code is available from the course website:

<http://www.utstat.toronto.edu/~brunner/oldclass/256f18>